

DAGGERZ™ HEX WASHER HEAD SELF DRILL

DAGGERZ™ SELF DRILLING SCREWS

| SIZE | CARTON QUANTITY | CARTON WEIGHT | CLEAR ZINC | DRIVE | DRILL POINT | MAX DRILL | DRILL SPEED |
|--------------|-----------------|---------------|-------------|-------|-------------|-----------|-------------|
| 6 x 3/8 | 15,000 | 33 | SDZ0600038 | 1/4" | #2 PT | 0.078" | 2500 RPM |
| 6 x 1/2 | 15,000 | 38 | SDZ060012 | 1/4" | #2 PT | 0.078" | 2500 RPM |
| 6 x 3/4 | 10,000 | 33 | SDZ06034 | 1/4" | #2 PT | 0.078" | 2500 RPM |
| 6 x 1 | 10,000 | 39 | SDZ06100 | 1/4" | #2 PT | 0.078" | 2500 RPM |
| 8 x 1/2 | 10,000 | 32 | SDZ080012 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 5/8 | 10,000 | 39 | SDZ080058 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 3/4 | 10,000 | 45 | SDZ08034 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 1 | 7,500 | 38 | SDZ08100 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 1-1/4 | 5,000 | 31 | SDZ081104 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 1-1/2 | 5,000 | 36 | SDZ08112 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 2 | 3,000 | 28 | SDZ08200 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 8 x 2-1/2 | 2,000 | 22 | SDZ08212 | 1/4" | #2 PT | 0.094" | 2500 RPM |
| 10 x 1/2 | 10,000 | 49 | SDZ100012 | 5/16" | #2 PT | 0.094" | 2500 RPM |
| 10 x 5/8 | 7,500 | 38 | SDZ100058 | 5/16" | #3 PT | 0.109" | 2500 RPM |
| 10 x 3/4 | 7,000 | 42 | SDZ10034 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 3/4 Max | 6,000 | 41 | SDZ10034*** | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 1 | 5,000 | 36 | SDZ1010 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 1-1/4 | 3,500 | 30 | SDZ101104 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 1-1/2 | 3,000 | 30 | SDZ10112 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 1-3/4 | 2,500 | 28 | SDZ10134 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 2 | 2,000 | 25 | SDZ1020 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 2-1/2 | 2,000 | 30 | SDZ10212 | 5/16" | #3 PT | 0.179" | 2500 RPM |
| 10 x 3 | 1,500 | 27 | SDZ1030 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 3/4 | 5,000 | 38 | SDZ12034 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 1 | 3,500 | 33 | SDZ1210 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 1-1/4 | 3,500 | 39 | SDZ121104 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 1-1/2 | 2,500 | 31 | SDZ12112 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 2 | 2,000 | 32 | SDZ1220 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 2-1/2 | 1,000 | 20 | SDZ12212 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 3 | 1,000 | 23 | SDZ1230 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 12 x 4 | 500 | 15 | SDZ1240 | 5/16" | #3 PT | 0.220" | 2500 RPM |
| 14 x 3/4 | 3,500 | 43 | SDZ14034 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 1 | 2,500 | 36 | SDZ1410 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 1-1/4 | 2,000 | 34 | SDZ141104 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 1-1/2 | 2,000 | 39 | SDZ14112 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 2 | 1,500 | 35 | SDZ1420 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 2-1/2 | 1,000 | 28 | SDZ14212 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 3 | 1,000 | 33 | SDZ1430 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 4 | 500 | 22 | SDZ1440 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 5 | 500 | 21 | SDZ1450 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 6 | 500 | 31 | SDZ1460 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 14 x 8 | 250 | 20 | SDZ1480 | 3/8" | #3 PT | 0.250" | 1500 RPM |
| 8 x 9/16* | 10,000 | 42 | SDZ08001916 | 1/4" | #2 PT | 0.104" | 2500 RPM |
| 10 x 3/4* | 7,000 | 35 | SDZ100348 | 1/4" | #3 PT | 0.179" | 2500 RPM |
| 12 x 3/4* | 5,000 | 31 | SDZ120348 | 1/4" | #3 PT | 0.220" | 2500 RPM |
| 14 x 3/4* | 3,500 | 35 | SDZ140348 | 1/4" | #3 PT | 0.250" | 1500 RPM |



- #6 used in 20-14 gauge metal applications.
- #8 diameter used in 20-13 gauge metal applications.
- #10 diameter with a #2 drill point used in 20-12 gauge metal applications.
- #10 diameter with a #3 drill point used in 12-8 gauge metal applications.
- #12 diameter used in 12-5 gauge metal applications.
- #14 diameter used in 12-3 gauge metal applications.
- Max has higher head for increased driving stability.
- Some sizes stocked with Dagger-Guard coating silver.

*with serrations under head

